



In-Wall Power Solution and Multi-Directional Speaker Mount for Sonos Play: 1, WIP

Mounts between studs to any desired location.
PN: C7HSA-W-WIP-XX, White / C7HSA-B-WIP-XX, Black

Utilizing the Power Jumper IC™ in-wall interconnect and the Speedport™ SC Multi-Direction Speaker Mount, this is the perfect solution when installing Sonos® Play:1 wireless speakers.

The mounting solution is compatible with any 1/4-20 mounted speaker and will tighten both into the speaker and into the Speedport™ when fastened.

Speakers can be adjusted on three different axes for optimal sound performance.




Available in Black or White



For new construction projects, add on our metal **Speedport™ New Construction Bracket**. Simply fasten to a stud and once the drywall has been laid, the bracket allows installers to use a rotozip opening to ensure proper size and placement of the hole.



PN: SB-2



Conforms to STD 514D and Certified CSA STD 22.2 No. 42.1-00
Electrical Rating: 125 VAC, 15 AMPS, 60 Hz
Meets UL 817 & CSA#22.2#21
Interconnect meets UL 2256, 2459
Meets NEC 2014 Article 400.7 (A)(11)
Patented with multiple patents pending.
All rights reserved. Sonos is a registered trademark of Sonos, Inc.



Also Available in 15', 25' and 40' lengths

www.midlite.com

115 Wordell St. Fall River, MA 02721

Tel: 508.676.5169 / Toll Free: 800.606.5169 / Fax: 508.861.0105





In-Wall Power Solution and Multi-Directional Speaker Mount for Sonos Play: 1, WIP

Mounts between studs to any desired location.
PN: C7HSA-W-WIP-XX, White / C7HSA-B-WIP-XX, Black

Installed View

Utilizing the Power Jumper IC™ in-wall interconnect and the Speedport™ SC Multi-Direction Speaker Mount, this is the perfect solution when installing Sonos® Play:1 wireless speakers.

The mounting solution is compatible with any 1/4-20 mounted speaker and will tighten both into the speaker and into the Speedport™ when fastened.

Speakers can be adjusted on three difference axes for optimal sound performance.


PN:

- C7HSA-W-WIP-XX, White

- C7HSA-B-WIP-XX, Black

XX = WIP Length

Available in 15', 25' and 40'



Conforms to STD 514D and Certified CSA STD 22.2 No. 42.1-00
Electrical Rating: 125 VAC, 15 AMPS, 60 Hz
Meets UL 817 & CSA#22.2#21
Interconnect meets UL 2256, 2459
Meets NEC 2014 Article 400.7 (A)(11)
Patented with multiple patents pending.
All rights reserved. Sonos is a registered trademark of Sonos, Inc.



www.midlite.com

115 Wordell St. Fall River, MA 02721

Tel: 508.676.5169 / Toll Free: 800.606.5169 / Fax: 508.861.0105

